

Notice of Allowability	Application No.	Applicant(s)
	10/767,731	KIDOKORO, HIROTO
	Examiner John L. Goodrow	Art Unit 1756

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 4/12/06.
2. The allowed claim(s) is/are 1-18.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date 6/28/06.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Armstrong on 6/27/06.

The application has been amended as follows: Claim 1

Claim 1 (Currently Amended): A toner for developing an electrostatic image, said toner containing toner particles comprising: at least,
a binder resin,
a colorant,
a charge control agent, and
a parting agent, and

wherein:

a volume average particle diameter (D_v) of said toner particles is 3 to 10 μm ;
a ratio (D_v/D_p) of said volume average particle diameter (D_v) to a number average particle diameter (D_p) of said toner particles is 1 to 1.3;
an average circle degree of said toner particles is 0.93 to 0.995; and
a location parameter of island-shaped separate phase is 25 number % or more,
wherein the location parameter is the percentage of such sectional photo images of toner particles where a maximum diameter of island-shaped separate phase is 1 μm or more and an outermost portion of said island-shaped separate phase is present at the

depth of 0.01 to 0.15 times time of the particle diameter of each toner particle under the surface of said toner particle, among sectional photo images of said toner particles having an island-shaped separate phase and a particle diameter in the range of 0.6 to 1.2 times time of said volume average particle diameter, being formed by photographing with an electron microscope; [.]

~~when said toner particles are embedded in a resin, a thin slice of an embedded product is cut off, sectional images of said toner particles in said thin slice are photographed with an electron microscope, and in resulting photographs sectional photo images of said toner particles are observed in resulting photographs~~

a tetrahydrofuran-extractable component content of said toner is from 10 to 80% by weight;

an acid value from 5 mg KOH/g or less; and

an amine value from 3.25 mg HCl/g or less.


2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: The drawing of 4/12/06 is approved.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John L. Goodrow whose telephone number is 571-272-1384. The examiner can normally be reached on Monday -Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark F. Huff can be reached on 571-272-1385. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1756

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



John L. Goodrow
Primary Examiner
Art Unit 1756
